

PlastiKote Trade Repositional Adhesive 400 ml

Ord.-no.: 071030



Technical Information

PlastiKote Repositional Adhesive spray provides high-quality temporary adhesion that holds strong but removes easily. Our repositionable Adhesive spray is suitable for glueing paper, cardboard, wood, textiles and various types of plastic. Our repositionable adhesive will temporarily and precisely hold materials - like stencils and markings - in place while you work.

Quality & properties

- Suitable to glue large surfaces
- Fast-drying
- User-friendly
- Spray pattern about 10 centimetre wide
- Ideal for the industrial environments

Physical & chemical data

- Base: Synthetic resin
- Colourname: Transparent
- Degree of gloss: gloss, >75
- Efficiency: 400 ML – 1,25-1,75 m²
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Vapour pressure: 4000/20 bar
- Temperature Resistance: Transparent 80 °C
- Content: 400 ML

How to use

- The aerosol should have room temperature. Best processing temperature 5 to 30°C. Before use, shake the aerosol.
- Apply glue in an equal layer.
- For a temporary adhesion, treat one of the parts to be glued, allow to dry for 5 to 10 minutes and firmly press together.
- When treating porous surfaces, apply several layers.
- After use, clean the valve (turn aerosol upside down and press the nozzle for approximately 5 seconds).

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of May 30, 2024 – This release replaces all eventually earlier issued versions.