

## PlastiKote Trade Degreaser 400 ml

## Technical Information



PlastiKote Trade Degreaser Spray is a must-have for any toolbox: a high quality degreaser spray that makes it quick and easy to remove stubborn stains, marks, and grease. Use our Degreaser Spray to help shift dirt, grease, oil, silicones, wax, tar, adhesives, and more. It also helps to strengthen the adhesion of subsequent coating layers. Suitable for metal, glass, old and original paintwork, painted and unpainted undercoats.

**Ord.-no:** 071033

### Quality & properties

Quick to use  
Improves adhesion  
Ideal for removing dirt, grease, oil, silicones, wax, tar, adhesives etc.  
Strengthens the adhesion of subsequent coating layers.  
User-friendly

### Physical & chemical data

Base: Aliphatic hydrocarbons with emulsifier  
Colourname: Transparent  
Efficiency: 400 ML – 1,25-1,75 m<sup>2</sup>  
Minimum Working Temperature: 10 °C  
Maximum Working Temperature: 25 °C  
Flash point: n.a.  
Content: 400 ML

### How to use

Shake briefly before use and spray a sample area first. Spray the surface evenly with degreaser spray, then wipe the surface with a clean, dry cloth. Repeat the process for heavy grease build-up. The surface should be clean, dry and free of grease. Remove loose old lacquer and rust and sand the surface. The surface should be clean, dry and free of grease. The aerosol should have room temperature. Best processing temperature 10 to 25°C. Before use, shake the aerosol for 2 minutes and spray a sample. Distance to the surface to be treated approximately 25 to 30 centimeter. Then, remove with a tool appropriate for this purpose. When required, repeat the treatment. After use, clean the valve (turn aerosol upside down and press the nozzle for approximately 5 seconds).

### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of May 7, 2025** – This release replaces all eventually earlier issued versions.