

Page 1/7

# THE PERFECT FINISH Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

*Version number* 6 (replaces version 5)

Revision: 26.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: PLASTI-KOTE FAST DRY ENAMEL BRUSH PAINT B35 CHROME 59 ML • Article number: 440035 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Product category Paint remover · Process category **PROC7** Industrial spraying **PROC10** Roller application or brushing PROC11 Non industrial spraying · Application of the substance / the mixture Paint · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: European Aerosols B.V. Wolfraamweg 2 NL-8471 XC Wolvega The Netherlands Tel: +31 (0)561 694400 e-mail: sds-nl@european-aerosols.com · Further information obtainable from: Department Product Safety · 1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h) UK: NPIS National Poisons Information Centre Tel: +44 0344 892 0111 IRL: Beaumont Hospital - National Poisons Information Centre: Tel: +353 1 8092566 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 Void · Hazard pictograms Void · Signal word Void

· Hazard statements Void

\*

· Precautionary statements

If medical advice is needed, have product container or label at hand. P101

- P102 Keep out of reach of children.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents / container in accordance with regional regulations. · Additional information:

EUH208 Contains 2-methyl-1,2-benzothiazol-3(2H)-one (MBIT). May produce an allergic reaction. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

(Contd. on page 2)

GB

Page 2/7

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

*Version number* 6 (*replaces version* 5)

Revision: 26.10.2022

(Contd. of page 1)

# Trade name: PLASTI-KOTE FAST DRY ENAMEL BRUSH PAINT B35 CHROME 59 ML

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

• Dangerous components:		
CAS: 13463-67-7	titanium dioxide	5-<10%
EINECS: 236-675-5	🕹 Carc. 2, H351	
Index number: 022-006-00-2		
Reg.nr.: 01-2119489379-17		
CAS: 2527-66-4	2-methyl-1,2-benzothiazol-3(2H)-one (MBIT)	<0.0015%
Index number: 613-336-00-3	🛞 Acute Tox. 3, H301	
	🚯 Skin Corr. 1C, H314; Eye Dam. 1, H318	
	🚯 Aquatic Acute 1, H400; Aquatic Chronic 2, H411	
	🚯 Acute Tox. 4, H312; Skin Sens. 1A, H317	
	ATE: LD50 oral: 175 mg/kg	
	LD50 dermal: 1100 mg/kg	
	Specific concentration limit: Skin Sens. 1A; H317: $C \ge 0.0015 \%$	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available. No further relevant information available.
- · 5.3 Advice for firefighters -
- · Protective equipment: No special measures required.

# SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

(Contd. on page 3)

GE

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 6 (replaces version 5)

Revision: 26.10.2022

(Contd. of page 2)

## Trade name: PLASTI-KOTE FAST DRY ENAMEL BRUSH PAINT B35 CHROME 59 ML

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special measures required.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

• Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*total inhalable \*\*respirable

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary if room is well-ventilated.
- *Hand protection* Not required.

· Material of gloves Not required.

- · Penetration time of glove material Not required.
- · Eye/face protection Goggles recommended during refilling

## **SECTION 9: Physical and chemical properties**

Physical state	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	l boiling
range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Auto-ignition temperature:	371 °C (699.8 °F)

(Contd. on page 4)

GB

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

*Version number* 6 (*replaces version* 5)

Revision: 26.10.2022

## Trade name: PLASTI-KOTE FAST DRY ENAMEL BRUSH PAINT B35 CHROME 59 ML

	(Contd. of pag
Decomposition temperature:	Not determined.
pH at 20 °C (68 °F)	9.5
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	0.1 hPa
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information Appearance:	
Form:	Fluid
Important information on protection of health an environment, and on safety.	u
	Product does not present an explosion hazard
Explosive properties: Solvent content:	Product does not present an explosion hazard.
Water:	46.0 %
VOC (EC)	
VOC-EU%	00.0.9/
Solids content:	90.0 %
Change in condition	Not determined
Evaporation rate	Not determined.
Information with regard to physical hazard class	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

GB

Page 5/7

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

*Version number* 6 (*replaces version* 5)

Revision: 26.10.2022

# Trade name: PLASTI-KOTE FAST DRY ENAMEL BRUSH PAINT B35 CHROME 59 ML

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 4)

# **SECTION 11: Toxicological information**

 $\cdot$  11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

# 2527-66-4 2-methyl-1,2-benzothiazol-3(2H)-one (MBIT)

Oral LD50 175 mg/kg (ATE)

Dermal LD50 1100 mg/kg (ATE)

- Skin corrosion/irritation Based on available data, the classification criteria are not met. No irritant effect.
- Serious eye damage/irritation Based on available data, the classification criteria are not met. No irritating effect.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met. No sensitising effects known.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- $\cdot$  11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

· 12.1 Toxicity

\*

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Page 6/7

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 6 (replaces version 5)

Revision: 26.10.2022

# Trade name: PLASTI-KOTE FAST DRY ENAMEL BRUSH PAINT B35 CHROME 59 ML

(Contd. of page 5)

## · Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

1 0			
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	not regulated		
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated		
· 14.3 Transport hazard class(es)			
· ADR, ADN, IMDG, IATA · Class	not regulated		
· 14.4 Packing group · ADR, IMDG, IATA	not regulated		
· 14.5 Environmental hazards:	Not applicable.		
· 14.6 Special precautions for user	Not applicable.		
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.			
· UN ''Model Regulation'':	not regulated		

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

## · Regulated poisons

None of the ingredients is listed.

## · Reportable explosives precursors

None of the ingredients is listed.

## · Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# · Relevant phrases

H301 Toxic if swallowed.

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.

(Contd. on page 7)

GB

Page 7/7

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

*Version number* 6 *(replaces version 5)* 

Revision: 26.10.2022

# Trade name: PLASTI-KOTE FAST DRY ENAMEL BRUSH PAINT B35 CHROME 59 ML

	(Contd. of page 6)
H318 Causes serious eye damage.	
H351 Suspected of causing cancer.	
H400 Very toxic to aquatic life.	
H411 Toxic to aquatic life with long lasting effects.	
Classification according to Regulation (EC) No 1272/2008	
Data is based on internal technical data and technical data from suppliers.	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agra	eement Concerning the
International Carriage of Dangerous Goods by Road)	Ū.
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
ATE: Acute toxicity estimate values	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Carc. 2: Carcinogenicity – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
* Data compared to the previous version altered.	
	GB